## JC12 Rec'd PCT/PTC 21 JUL 2005

[received by the International Bureau on 16 September 2004 (16.09.04); Original claims 1-16 replace by new claims 1-16 unchanged; (4 pages).]

- (iv) A dispersion of crystals or granules of active substance in a
  lipophilic vehicle, wherein said lipophilic vehicle has a solubilizing
  power for the active substance of less than 1.5 times the active
  substance concentration for which a taste is detected in water, and
  wherein said crystals or granules being coated by a coating for taste
  masking purposes.
- 3. (iv) The dispersion according to claim 1, wherein the lipophilic vehicle is selected from the group consisting of vegetable oils, animal oils, tri-, di- or mono-glycerides of fatty acids, lipolysing oils, mineral oils, light waxes, vaseline, silicone oil, simethicons, mixtures of silicone oil and colloidal silica, and mixtures thereof.
- 4. (i) The dispersion according to claim 1, wherein the lipophilic vehicle additionally comprises additives selected from the group consisting of sweeteners, flavorings, colorants, thickeners, dispersants, effervescent agents, super-disintegrants, lipophilic surfactants, hydrophilic surfactants, hydrosoluble agents and mixtures thereof.
- 5. (i) The dispersion according to claim 1, in which the concentration of active substance in the dispersion is at most 75% by weight in relation to the weight of the dispersion.
- 6. (i) The dispersion according to claim 1, wherein the coating of the crystals or granules of active substance is selected from ethylcellulose, hydroxyethylcellulose, hydroxypropylmethylcellulose,

hydroxypropylmethyl cellulose phthalate, methacrylic copolymer, lipidic compounds, lipophilic compounds, polyethylene glycol behenate, glycerol palmitostearate, glycerol stearate, cetyl palmitate, glyceric macrogol beeswaxes, glycerol, PEG-32 stearate, Peg-32 palmitostearate, and mixtures thereof.

- (i) The dispersion according to claim 1, wherein the coating represents
  between 5 and 50% by weight of the total weight of the coated granules
  or crystals.
- (i) The dispersion according to claim 1, wherein the average size of the coated crystals or granules is less than 300 μm.
- 9. (i) The dispersion according to claim 1, wherein the granules of active substances and/or the coating for taste masking purposes can comprise additives from the group consisting of colorants, sweeteners, flavorings, effervescent agents, super-disintegrants, lipophilic surfactants, hydrophilic surfactants, hydrosoluble agents and mixtures thereof.
- 10. (iv) The dispersion according to claim 1, wherein said lipophilic vehicle is a dimethicone, said coating being a mixture of ethyl cellulose and hydroxypropylmethylcellulose, said coating representing 5% to 70% of the total weight of the dispersion.
- 11. (iv) A chewable soft capsule comprising an outer envelope encapsulating the dispersion according to claim 1.
- 12. (iv) The soft capsule according to claim 1, in which the outer envelope

- comprises gelatin, a plasticizer, and at least one starch, optionally amylum acetate.
- 13. (i) The soft capsule according to claim 12, in which the composition of said envelope also comprises an additive chosen from the group consisting of sweeteners, flavorings, colorants, and mixtures thereof.
- 14. (i) The soft capsule according to claim 11, wherein the outer envelope comprises between 18 and 30% by wt. gelatin, between 30 and 45% by wt. of plasticizer, between 3 and 12% by wt. of starch or amylum acetate and up to 12% by wt., of an unbleached starch and water to 100%, with these percentages being percentages by weight in relation to the total weight of said envelope composition.
- 15. (i) The soft capsule according to claim 14, in which the plasticizer is selected from the group consisting of polyols, glycerol, xylitol, sorbitol, polyglycerol, non-crystallisable solutions of sorbitol, glucose, fructose, glucose syrups, and mixtures thereof.
- 16. (iv) A process for preparation of chewable soft capsules, comprising the steps of:
  - a) preparing an outer envelope;
  - b) as necessary preparing granules of active substance;
  - c) coating the crystals of active substance or granules prepared above using a coating for taste masking purposes;
  - d) as necessary dispersing additives in a lipophilic vehicle,
     wherein said lipophilic vehicle has a solubilizing power for

the active substance of less than 1.5 times the active substance concentration for which a taste is detected in water, and optionally milling of this;

- e) dispersing the coated crystals or granules in the lipophilic vehicle;
- f) filling and sealing the capsules with said dispersion;
- g) drying the capsules.